

TRUE LOCK Distal Tibia Medial Anatomic Plates are for fixation of complex intra and extra articular fractures and osteotomies of the distal tibia.


The OTA/AO classification for long bone fractures is divided into three general groups each with three subgroups. The groups are extra-articular, partial articular, and complex articular. The subgroups reflect the degree of metaphyseal comminution.

A good anatomical fit of precontoured plates is ideal to decrease malalignment of fracture fragments, reduce operating room time, and avoid unnecessary soft-tissue prominence. This last point is of great importance when plating the distal medial tibia, since the soft-tissue coverage is very thin.

Anatomical plate; right & left.

7 hole option between 5-17.

TRUE LOCK Distal Tibia Medial Anatomic Plates are made of Ti6Al4V ELI material (ASTM F136).



TRUE LOCK Distal Tibia Medial Anatomic Plate Features

Low profile plate.

Pointed proximal plate end for percutaneous plate insertion.

Elongated hole in shaft aids in initial plate positioning.

Distal tab for optional medial malleolus screw accepts 3.5 mm locking, 2.7 mm cortex, 3.5 mm cortex, 4.0 mm cortex or 4.0 mm cancellous bone screws.

Anatomically contoured; plate is twisted 20° and bent to fit the distal tibia.

At the cancellous part of the bone near the joint, 4,0 mm cancellous locking screw option supports plate and screw fit well; prevents it from pull out .

TRUE QUALITY

TRUE LOCK Distal Tibia Medial Anatomic Plate Screws Info

Reference Number:	Hole Count:	Length (mm)		
(L) 201-11101-005 (R) 201-11102-005	5 holes	120	3.5 mm Non-Locking Cortical Screw	
(L) 201-11101-007 (R) 201-11102-007	7 holes	145	3.5 mm Locking Cortical Screw	
(L) 201-11101-009 (R) 201-11102-009	9 holes	165	4 mm Non-Locking Cancellous Screw	
(L) 201-11101-011 (R) 201-11102-011	11 holes	190	4 mm Locking Cancellous Screw	
(L) 201-11101-013 (R) 201-11102-013	13 holes	215	4 mm Locking Cannulated Cancellous Screw	
(L) 201-11101-015 (R) 201-11102-015	15 holes	240		
(L) 201-11101-017 (R) 201-11102-017	17 holes	265		