


TRUE LOCK 3.5mm Ulna Radius Plates are indicated for fractures of ulna, radius and fibula shaft.


Radius and ulna body fractures differ from other diaphyseal fractures due to the relationship between both bones and the fractures can affect the elbow and wrist joints. In adulthood, forearm fractures often require surgical treatment, as they are noticeably displaced and unstable.

8 hole option between 4-12.

TRUE LOCK 3.5mm Ulna Radius Plates are made of Ti6Al4V ELI material (ASTM F136).




## TRUE LOCK 3.5mm Ulna Radius Plate Features



The combi-hole provides flexibility of axial compression and locking capability throughout the length of the plate shaft.



Kirschner wire holes accept Kirschner wires (up to 1.5 mm) to temporarily fix the plate to the bone, to temporarily reduce articular fragments, and to confirm the location of the plate, relative to the bone.




Low plate-and-screw profile and rounded plate edges minimize potential for tendon and soft tissue irritation.

Locking the screw into the plate does not generate additional compression. Therefore, the periosteum will be protected and the blood supply to the bone preserved.


## TRUE LOCK 3.5mm Ulna Radius Plate Screws Info

Reference Number:	Hole Count:	Length (mm)
200-10020-004	4 hole	55
200-10020-005	5 hole	70
200-10020-006	6 hole	85
200-10020-007	7 hole	100
200-10020-008	8 hole	115
200-10020-009	9 hole	130
200-10020-010	10 hole	145
200-10020-011	11 hole	160
200-10020-012	12 hole	175


2.7 mm Non-Locking Cortical Screw



2.7 mm Locking Cortical Screw



3.5 mm Non-Locking Cortical Screw



3.5 mm Locking Cortical Screw



4 mm Non-Locking Cancellous Screw



4 mm Locking Cancellous Screw

