

TRUE LOCK 4.5mm Proximal Tibia Lateral Anatomic Plates are indicated for steepenic bone, tibial osteotomies, nonunions, malunions, and fractures of the proximal tibia including:

- Simple, comminuted fractures.
- Lateral wedge fractures.
- Depression medial wedge fractures x Bicondylar combination of lateral wedge and depression fractures.
- Periprosthetic fractures.
- Proximal fractures with associated shaft fractures.

Tibia plateau fractures make up 1-2% of all fractures and are in the third rank of adult fractures in terms of their incidence during 50 years of life. Plateau fractures involving the tibia upper end joint range widely from complex fractures caused by mild injuries.

Anatomical plate; right & left.

7 hole options between 3-15.

TRUE LOCK 4.5mm Proximal Tibia Lateral Anatomic Plates are made of Ti6Al4V ELI material (ASTM F136).




## TRUE LOCK 4.5mm Proximal Tibia Lateral Anatomic Plate Features




Elongated Combi holes in the neck and shaft facilitate plate adjustment and allow locking or compression options

Two 2.1 mm holes for preliminary fixation with K-wires, or meniscal repair with sutures



Anatomically contoured to approximate the lateral aspect of the proximal tibia, can be tensioned to create a load-sharing construct




Limited-contact profile



## TRUE LOCK 4.5mm Proximal Tibia Lateral Anatomic Plate Screws Info

Reference Number:	Hole Count:	Length (mm)
(L) 201-11521-003 (R) 201-11522-003	3 hole	95
(L) 201-11521-005 (R) 201-11522-005	5 hole	130
(L) 201-11521-007 (R) 201-11522-007	7 hole	170
(L) 201-11521-009 (R) 201-11522-009	9 hole	205
(L) 201-11521-011 (R) 201-11522-011	11 hole	240
(L) 201-11521-013 (R) 201-11522-013	13 hole	275
(L) 201-11521-015 (R) 201-11522-015	15 hole	315

3.5 mm Non-Locking Cortical Screw



3.5 mm Locking Cortical Screw



4 mm Non-Locking Cancellous Screw



4 mm Locking Cancellous Screw



4 mm Locking Cannulated Cancellous Screw

